

Skeleton: \_\_\_\_\_

Collection / Site: \_\_\_\_\_

Observer: \_\_\_\_\_

Date: \_\_\_\_\_ / \_\_\_\_\_ / 20\_\_\_\_

Sample: North American (Modern) Other Unknown

Sex: Male Female Unknown

CRANIUM	Stages		Comments
Parietal Depression	absent	present	Highest L or R score
Spheno-Occipital Synchronosis	open	closed	
Occipital Condyle Lipping	absent	≥50 %	Highest L or R score

VERTEBRAL COLUMN	Stages				Comments
C1 Dens Articulation Lipping	absent	≥50%			
C1 Dens Articulation Eburnation	absent	present			
Thoracic Lipping (Osteophytes)	absent	≥ 5mm			
Lumbar Lipping (Osteophytes)	absent	≥ 5mm			
L1 Spinous Process Flattening	round	flat	ossified		
L1 Inferior Epiphyseal Ring Fusion	NF	PF	RL	FF	
L1 Inferior Body Surface	billows	flat	porous		
L5 Superior Epiphyseal Ring Fusion	NF	PF	RL	FF	
L5 Superior Body Surface	billows	flat	porous		
L5 Superior Margin Shape	round	sharp	lipped		
S1 Superior Margin Shape	round	sharp	lipped		
S 1-2 Body Fusion	≥1 cm	<1 cm	closed		
Sacral Extreme Curvature "Elbow"	absent	present			

STERNUM & RIBS	Stages		Comments
Sternum Central Dorsal Ridge	absent	present	
R3-10 Sternal End Rim Profile	regular	irregular	Highest L or R score
R3-10 Thinning "Shingle"	normal	shingle	Highest L or R score

CLAVICLE & SCAPULA	Stages				Comments
Clavicle Medial Epiphysis Fusion	NF	PF	RL	FF	L; R if L absent
Clavicle Medial Bumps "Gravel"	absent	present			Highest L or R score
Clavicle Medial Macroporosity	absent	≥ 3			Highest L or R score
Clavicle Lateral Macroporosity	absent	≥ 3			Highest L or R score
Scapula Glenoid Fossa Lipping	absent	< ½	≥½		Highest L or R score

HUMERUS	Stages			Comments
Humerus Weight (Either Side)	normal	light		Heaviest scored
Humerus Lesser Tubercle Bumps	absent	≥ 1/3		Highest L or R score
Humerus Lesser Tubercle Margin	round	raised	lipped	Highest L or R score
Humerus Lateral Epicondyle	smooth	rough		Highest L or R score

TRAPEZIUM	Stages		Comments
Trapezium Lipping	absent	≥ 2mm	Highest L or R score

Skeleton: \_\_\_\_\_

Collection / Site: \_\_\_\_\_

FEMUR	Stages		Comments
Femur Fovea Margin Lipping	absent	≥ 10mm	Highest L or R score
Femur Greater Troch Roughening	absent	rough	Highest L or R score
Femur Troch Fossa Exostoses	absent	present	Highest L or R score
Femur Troch Medial Exostoses	absent	present	Highest L or R score

TIBIA	Stages		Comments
Tibia Weight (Either Side)	normal	light	Heaviest scored

INNOMINATE	Stages				Comments
Innominate Weight (Either Side)	normal	light			Heaviest scored
Iliac Crest Fusion	NF	PF	RL	FF	L; Use R if L absent
Acetabulum Post Margin Lipping	absent	≥ 10mm			Lowest L or R score
Acetabulum Inferior End Lipping	absent	≥ 3mm			Lowest L or R score
Ischial Tuberosity Bumps	absent	present			Highest L or R score

AURICULAR SURFACE	Stages			Comments
Inferior Surface Porosity	absent	porous		Highest L or R score
Superior Posterior Iliac Exostoses	smooth	exostoses		Lowest L or R score
Posterior Exostoses	smooth	discontinuous	continuous	If L or R smooth, score smooth If L or R continuous, score continuous

PUBIC SYMPHYSIS	Stages				Comments
Symphyseal Collar	absent	collar			Males only; Highest L or R score
Symphyseal Relief	billows	flat			Lowest L or R score
Superior Apex (Protuberance)	serrated	knob	flat		Lowest L or R score
Ventral Symphyseal Margin	serrated	rampart	rim	BD	L; Use R if L absent
Dorsal Symphyseal Margin	serrated	flat	rim	BD	L; Use R if L absent

Notes: \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Not observable: — strike out values if entire skeletal structure cannot be observed

Stage scored: ○ circle observed stage; pay attention to Comments